



Irideon

Lighting with distinction

Sleek, Powerful, Flexible



The Irideon line of architectural fixtures from ETC features exceptional light output and a sleek, unassuming industrial design that blends in with any space. This feature-rich design of both the FPZ, or Framing Projector Zoom fixture and the WLZ, or Wash Light Zoom fixture, is ideal for museums, lobbies, and retail environments.

Irideon fixtures are available in a wide variety of color temperatures ranging from 2700 K to 5000 K, and three mounting variations; DataTrack, portable with c-clamp, and canopy.

Framing Projector


Irideon FPZ builds on ETC's expertise in optical design, taking this fixture to the next level. What sets it apart? Lockable three-plane shutters, zoom optics, and the ability to dim using either DMX or a local dimming knob. But the beam is the real beauty; pleasing to the eye with a wide selection of models and various color temperatures.

Wash Light

Irideon WLZ boasts a set of enhancements including a soft beam that can be barn-doored, zoom optics, and the ability to dim using either DMX or a local dimming knob located on the DataTrack adapter.

The most innovative feature of the WLZ is the built-in rotating zoom adjustment at the rear of the fixture housing. This enables beam angle adjustment within an impressive range of 9-78 degrees. The zoom position markers on the fixture make fixture-to-fixture referencing quick and easy.

No matter which fixture type you choose, you get the flexibility you need to create the beautiful light you want, from a sleek, integrated design that doesn't dominate your space.



More than you expect

- Zoom optics
- Dimming to less than 1% of maximum output



The ETC touch

- Exceptional beam and optical design
- Backed by ETC's award-winning service and support



Tailored to your needs

- Offered in black, white, silver, or custom colors
- Available in 2700 K, 3000 K, 3000 K Gallery (90+ CRI,) 4000 K, and 5000 K LED color temperatures

Three mounting options for flexible installation

DataTrack

- Operates with ETC's DataTrack system
- Two track options available:
 - DataTrack 120V two-circuit and
 - Eutrac 230V three-circuit with data
- Color-matched adapter with fully integrated driver
- Dimmable via DMX or local control

Canopy

- Available as DMX or DALI or 0-10V
- Canopy mounted with color matched mounting plate
- 277V options available

Portable

- Color matched, medium c-clamp mounting
- DMX in and thru via RJ45 ports on the included driver box
- Available accessory kit for Unistrut mounting
- Dimmable via DMX or local control

ETC offers a wide range of specialty architectural solutions.

Source Four Mini LED



Desire XT / XT1



Unison Controls



Museums ▫ Retail stores ▫ Restaurants ▫ Lobbies ▫ Theaters

etcconnect.com/irideon



Corporate Headquarters ▫ Middleton, WI USA

Global Offices ▫ London, UK ▫ Rome, IT ▫ Holzkirchen, DE ▫ Paris, FR ▫ Hong Kong ▫ Singapore ▫ New York, NY ▫ Orlando, FL ▫ Los Angeles, CA

Copyright©2019 ETC. All Rights Reserved. All product information and specifications subject to change. 7191L1002 Rev D 07/19

Trademark and patent info: etcconnect.com/IP

etcconnect.com